

Note that the procedure below applies to non-injury related illness and all other return to play guidelines specific to injuries still apply.

SECTION 7

Recommended Return to Hockey Procedures

The following are recommended guidelines for team staff, parents and guardians for participants who are sick or showing symptoms of COVID-19. It is important to remember that public health authority guidelines and advice from physicians must be followed in any situation where a participant is sick.

PARTICIPANT FEELS ILL AT THE FACILITY/ACTIVITY

Participant advises team staff/safety person immediately.


Participant receives a cloth mask and wears immediately. Anyone caring for the participant should also wear a cloth mask.

Parents/guardians are advised and take the participant home. If the participant is an adult, they will leave immediately if well enough to drive. If there is a delay in leaving the facility, they should find a location to isolate.


Contact a physician and call the local public health line. Follow isolation requirements of public health authorities. The participant will require a note from their physician to return to activity.

Note that the procedure below applies to non-injury related illness and all other return to play guidelines specific to injuries still apply.

**PARTICIPANT ADVISES TEAM STAFF
THEY ARE NOT FEELING WELL
AND WILL NOT BE ATTENDING**



**PARTICIPANT ADVISES
THEY HAVE SYMPTOMS OF COVID-19
AND WILL NOT BE ATTENDING**



COVID-19 affects different people in different ways. Most infected people will develop mild to moderate illness and recover without hospitalization.

Most common symptoms:

- Fever
- Dry cough
- Shortness of breath

Less common symptoms:

- Runny nose
- Aches and pains
- Sore throat
- Diarrhea
- Conjunctivitis
- Headache
- Loss of taste and/or smell
- Skin rash, or discolouration of fingers and toes

Serious symptoms:

- Difficulty breathing
- Chest pain or pressure
- Loss of speech or movement

Seek immediate medical attention if you have serious symptoms. Always call before visiting your physician or health facility.

On average, it takes 5-6 days from infection for symptoms to show, but it can take up to 14 days.

SECTION 8

Positive COVID-19 Test in Hockey Environment


Important!

If a sick participant (or their parent/guardian if the participant is a minor) elects to inform a team/hockey association/Member that they have been diagnosed with COVID-19, the individual informed shall seek the sick participant/their parent's/guardian's consent to contact public health authorities in order to obtain advice on communication with other potentially impacted participants. The sick participant (or their parent/guardian if the participant is a minor) should be asked to advise Public Health of this consent.

Explain the communication that will take place and **NEVER** disclose the sick person's name.

PARTICIPANT
TESTS POSITIVE FOR COVID-19
AND CONTACTS THEIR PHYSICIAN

FOLLOW PUBLIC HEALTH GUIDELINES



In Canada, the management of public health crises is a matter involving close coordination between all levels of government. There is therefore a variety of public and private sector privacy legislation at the federal, provincial and territorial levels that govern the collection, use and disclosure of personal information. There are provincial and territorial privacy authorities that oversee compliance with the [privacy legislation](#) at the federal, provincial and territorial levels that govern the collection, use and disclosure of personal information. There are provincial and territorial privacy authorities that oversee compliance with the privacy legislation in their respective jurisdictions, and some have [published their own statements](#) relevant to the matter of COVID-19.